Table 3-29. Ecological Priority habitat-species opportunities within the Northern Highland

| Community | Cological Priority habitat-species opportunities within the Northern Highland Natural Communities that are Major Species of Greatest Conservation Need | | | | |
|-----------|--|--|--------------------------|--|--|
| Group | Opportunities in the Northern | | | | |
| Group | Highland Ecological Landscape | determined to be high priority based on their Community-Landscape combination scores | | | |
| Northern | | | | | |
| | Northern Dry-Mesic Forest | <u>Birds (9)</u> | Mammals (3) | | |
| Forest | | Northern Goshawk | Eastern Red Bat | | |
| | | Whip-poor-will | Northern Flying Squirrel | | |
| | | Least Flycatcher | Gray Wolf | | |
| | | Veery | | | |
| | | Golden-winged Warbler | | | |
| | | Black-throated Blue Warbler | | | |
| | | Canada Warbler | | | |
| | | Red Crossbill | | | |
| | Northern Wet Forest | Birds (8) | Herptiles (2) | | |
| | | Spruce Grouse | Four-toed Salamander | | |
| | | Black-backed Woodpecker | Wood Turtle | | |
| | | Olive-sided Flycatcher | | | |
| | | Boreal Chickadee | Mammals (6) | | |
| | | Veery | Water Shrew | | |
| | | Golden-winged Warbler | Eastern Red Bat | | |
| | | Connecticut Warbler | Northern Flying Squirrel | | |
| | | Canada Warbler | Woodland Jumping Mouse | | |
| | | Cariada Warbier | Gray Wolf | | |
| | | | Moose | | |
| Wetland | Emergent Aquatic | Birds (9) | Herptiles (2) | | |
| VVetiand | Emergent Aquatic | American Bittern | Four-toed Salamander | | |
| | | Blue-winged Teal | Mink Frog | | |
| | | American Golden Plover | WIIIR 1 10g | | |
| | | | Mammals (2) | | |
| | | Solitary Sandpiper | Eastern Red Bat | | |
| | | Buff-breasted Sandpiper | | | |
| | | Dunlin | Moose | | |
| | | Short-billed Dowitcher | | | |
| | | Black Tern | | | |
| | | Rusty Blackbird | | | |
| | Emergent Aquatic-Wild Rice | Birds (4) | Herptiles (1) | | |
| | | Blue-winged Teal | Mink Frog | | |
| | | Canvasback | | | |
| | | Lesser Scaup | | | |
| | | Black Tern | | | |
| | Northern Sedge Meadow | Birds (6) | Herptiles (3) | | |
| | | American Bittern | Four-toed Salamander | | |
| | | Blue-winged Teal | Mink Frog | | |
| | | Northern Harrier | Wood Turtle | | |
| | | Yellow Rail | | | |
| | | Black Tern | Mammals (2) | | |
| | | N-1 Ob (-111 O | • • | | |
| | | Nelson's Sharp-tailed Sparrow | Eastern Red Bat | | |

Table 3-29 continued

| 0 | National Communities distance ** | Consider of Constant Conservation Need | | |
|-----------|------------------------------------|--|----------------------|--|
| Community | Natural Communities that are Major | hern determined to be high priority based on their | | |
| Group | Opportunities in the Northern | | | |
| | Highland Ecological Landscape | Community-Landscape | | |
| Wetland | Open Bog | Birds (9) | Herptiles (2) | |
| (cont.) | | American Bittern | Four-toed Salamander | |
| | | Northern Harrier | Mink Frog | |
| | | Spruce Grouse | | |
| | | Yellow Rail | Mammals (3) | |
| | | Solitary Sandpiper | Eastern Red Bat | |
| | | Olive-sided Flycatcher | Gray Wolf | |
| | | Golden-winged Warbler | Moose | |
| | | Connecticut Warbler | | |
| | | Rusty Blackbird | | |
| | Submergent Aquatic | Birds (5) | Herptiles (2) | |
| | <u> </u> | Blue-winged Teal | Mink Frog | |
| | | Canvasback | Wood Turtle | |
| | | Lesser Scaup | | |
| | | Bald Eagle | Mammals (2) | |
| | | Black Tern | Eastern Red Bat | |
| | | | Moose | |
| | Submergent Aquatic-Oligotrophic | Herptiles (1) | Mammals (2) | |
| | Marsh | Mink Frog | Eastern Red Bat | |
| | Maion | | Moose | |
| Aquatic | Coolwater streams | Birds (1) | Mammals (1) | |
| riquatio | Coolwater streams | Solitary Sandpiper | Water Shrew | |
| | | Contary Carapiper | Eastern Red Bat | |
| | | Herptiles (3) | Lasterr Nea Bat | |
| | | Four-toed Salamander | | |
| | | Mink Frog | | |
| | | Wood Turtle | | |
| | Inland lakes | | Harmtilaa (2) | |
| | iniand lakes | Birds (6) | Herptiles (2) | |
| | | Blue-winged Teal | Mudpuppy | |
| | | Canvasback | Mink Frog | |
| | | Lesser Scaup | Manager (0) | |
| | | Osprey | Mammals (3) | |
| | | Bald Eagle | Water Shrew | |
| | | Black Tern | Eastern Red Bat | |
| | | Figh (F) | Moose | |
| | | Fish (5) | | |
| | | Lake Sturgeon | | |
| | | Pugnose Shiner | | |
| | | Greater Redhorse | | |
| | | Longear Sunfish | | |
| | | Least Darter | | |

Table 3-29 continued

| Community Group | Natural Communities that are Major Opportunities in the Northern Highland Ecological Landscape | Species of Greatest Conservation Need determined to be high priority based on their Community-Landscape combination scores | |
|--------------------|--|--|-----------------|
| Aquatic | Warmwater rivers | Birds (5) | Herptiles (3) |
| (cont.) | | Canvasback | Mudpuppy |
| | | Lesser Scaup | Mink Frog |
| | | Osprey | Wood Turtle |
| | | Bald Eagle | |
| | | Dunlin | Mammals (2) |
| | | | Eastern Red Bat |
| | | Fish (4) | Moose |
| | | Lake Sturgeon | |
| | | Greater Redhorse | |
| | | Longear Sunfish | |
| | | Least Darter | |
| | Warmwater streams | Birds (1) | Mammals (3) |
| | | Solitary Sandpiper | Water Shrew |
| | | - 1 (2) | Eastern Red Bat |
| | | Fish (3) | Moose |
| | | Pugnose Shiner | |
| | | Longear Sunfish Least Darter | |